



SWITCH YOUR KITCHEN  
UPSIDE DOWN

PMF

 elica  
aria nuova



# CEILING













# LULLABY

DESIGN FABRIZIO CRISÀ


## AWARDS



SPECIAL MATERIAL



ENERGY CLASS



FALSE CEILING NEEDED  
ONLY FOR DUCT-OUT VERSION  
CUT 470X960



TUNE WHITE



DIM LIGHT



SMART INSTALLATION



REVOLUTION FILTER



KG 38.6



KG 43.6\*



Glej oddelek Dodatki za osvetlitev str.152  
See lighting accessories on page 152



Komplet polica na str.154  
Shelf kit on page 154

## TEHNIČNI PODATKI TECHNICAL FEATURES

Velikost Size	120x65 cm
Izvedba Version	Odzračevalna Duct-out - Obtočna izvedba Filtering
Videz Finish	Belo lakirano les + Nerjavno jeklo, Bela + Bela, z učinkom mehkega dotika White lacquered wood + stainless steel, natural oak + White soft touch effect

### OSVETLITEV LIGHTING

Tipi Type	Plošča LED 28W led panel 28 W
Intenzivna moč Intensity	1123 LUX
Temperature Temperature	2400 - 5000 K

### OBLIKA PERFORMANCE

Upravljanje Controls	3 Hitrosti + 2B daljinski upravljalnik 3S + 2B Remote control
Pretok zraka Booster airflow	770 m <sup>3</sup> /h - 730 m <sup>3</sup> /h (*)
Raven hrupa Noise level	53 db(A) - 64 db(A) (*)
Popolna absorpcija Total absorption	188 W - 214W (*)
Izhod Duct size	150 mm
Razred energetske učinkovitosti Energy class	A (A++/E)
Z aluminijastim mazalnim filtrom Grease aluminium Filter included	
Revolucijski filter vključen Revolution filter included	

### DODATKI ACCESSORIES

Revolucijski filter Revolution filter	KIT0147861
Filter z ogljenimi vlakni Carbon fibre filter	KIT0147856
Komplet lesena polica Whood shelf kit	KIT0147858
Komplet bela polica White shelf kit	KIT0147859
Bel daljinski upravljalnik White remote control	KIT0121468
Črni daljinski upravljalnik Black remote control	KIT0121469
Zatamnilec (dodatna oprema za osvetlitev) Dimmer (Lighting kit)	KIT0147878



Oprema za daljinski upravljalnik. Glejte stran 151 za razpoložljivi model.  
Kit remote control included. See page 151 for available design.

### MODELI MODELS

LULLABY WH WOOD/A/120	PRF0146227
LULLABY WOOD/A/120	PRF0146229
LULLABY WH WOOD/F/120 (*)	PRF0146226
LULLABY WOOD/F/120 (*)	PRF0146225



# SKYDOME

DESIGN FABRIZIO CRISÀ



LONG LIFE  
FILTER



TUNE WHITE



DIM LIGHT



H30  
KG 29,5



H16  
KG 28,5



NO MOT  
KG 26,5




ENERGY  
CLASS  
A

## TEHNIČNI PODATKI TECHNICAL FEATURES

Velikost Size	100 x 50 cm
Izvedba Version	Odzračevalna Duct-out
Videz Finish	Bela, White

### OSVETLITEV LIGHTING

Tipi Type	Plošča LED 28W led panel 28 W
Intenzivna moč Intensity	1123 LUX
Temperature Temperature	2400 - 5000 K



FALSE CEILING CUT: 480X980



Glej stran 157 za lastnosti zunanjskega motorja  
Remote motor on page 157



Glej oddelek Dodatki za osvetlitev str.152  
See lighting accessories on page 152

## OBLIKA PERFORMANCE

	H16	H30
Upravljanje Controls	3 Hitrosti + 2B daljinski upravljalnik 3S+2B Remote Control	3 Hitrosti + 2B daljinski upravljalnik 3S+2B Remote Control
Pretok zraka Booster airflow	750 m <sup>3</sup> /h	770 m <sup>3</sup> /h
Raven hrupa Noise level	68 db(A)	53 db(A)
Popolna absorpcija Total absorption	198 W	188 W
Izhod Duct size	220x90 mm	150 mm
Razred energetske učinkovitosti Energy class	A (A++/E)	A (A++/E)

Z aluminijastim mazalnim filtrom Grease aluminium filter included

### DODATKI ACCESSORIES

Komplet za recikliranje Recycling kit H30	KIT0148449
Komplet za recikliranje Recycling kit H16	KIT0148450
Bel daljinski upravljalnik White remote control	KIT0121468
Črni daljinski upravljalnik Black remote control	KIT0121469
Notranji oddaljen motor Internal remote motor	KIT0147879
Zunanji stenski motor Wall external motor	KIT0147880
Zunanji krovni motor Roof external motor	KIT0147881
Zunanji motor za nagnjeno streho Inclined Roof external motor	KIT0147882
Zatamnilec (dodatna oprema za osvetlitev) Dimmer (Lighting kit)	KIT0147878

### MODELI MODELS

SKYDOME H16 A/100	PRF0147735
SKYDOME H30 A/100	PRF0146232
SKYDOME NO MOTOR A/100	PRF0146230



Oprema za daljinski upravljalnik. Glejte stran 151 za razpoložljivi model.  
Kit remote control included. See page 151 for available design.



S.E.I System/Inštalacija, ki varčuje s prostorom na str.72.  
S.E.I System/Space-saving installation on page 72.







LONG LIFE  
FILTER



TUNE WHITE



DIM LIGHT



SMART  
INSTALLATION



INOX H30  
KG 26,5



INOX NO MOT  
KG 23,5



WHITE H30  
KG 31



WHITE NO MOT  
KG 28




ENERGY  
CLASS  
A

## TEHNIČNI PODATKI TECHNICAL FEATURES

Velikost Size	100 x 50 cm
Izvedba Version	Odzračevalna Duct-out
Videz Finish	Bela + Bela okvir, jeklo White + white frame, stainless steel

## OSVETLITEV LIGHTING

Tipi Type	STRIPE LED 2 x 14 W
Intenzivna moč Intensity	563 LUX
Temperature Temperature	2700-5000 K



FALSE CEILING CUT: 550X980

## OBLIKA PERFORMANCE

Upravljanje Controls	3 Hitrosti + 2B daljinski upravljalnik 3S+2B Remote Control
Pretok zraka Booster airflow	770 m <sup>3</sup> /h
Raven hrupa Noise level	53 db(A)
Popolna absorpcija Total absorption	188 W
Izhod Duct size	150 mm
Razred energetske učinkovitosti Energy class	A (A++/E)
Z aluminijastim mazalnim filtrom Grease aluminium Filter included	

## DODATKI ACCESSORIES

Komplet za recikliranje Recycling kit H30	KIT0148449
Bel daljinski upravljalnik White remote control	KIT0121468
Črni daljinski upravljalnik Black remote control	KIT0121469
Notranji oddaljen motor Internal remote motor	KIT0147879
Zunanji stenski motor Wall external motor	KIT0147880
Zunanji krovni motor Roof external motor	KIT0147881
Zunanji motor za nagnjeno streho Inclined Roof external motor	KIT0147882
Zatemnilnik (dodatna oprema za osvetlitev) Dimmer (Lighting kit)	KIT0147878

## MODELI MODELS

HILIGHT H30 IX/A/100	PRF0146245
HILIGHT H30 WH/A/100	PRF0146246
HILIGHT NO MOTOR IX/A/100	PRF0146247
HILIGHT NO MOTOR WH/A/100	PRF0146248



Glej stran 157 za lastnosti zunanjega motorja  
Remote motor on page 157



Glej oddelek Dodatki za osvetlitev str.152  
See lighting accessories on page 152



Oprema za daljinski upravljalnik. Glejte stran 151 za razpoložljivi model.  
Kit remote control included. See page 151 for available design.



S.E.I System/Inštalacija, ki varčuje s prostorom na str.72.  
S.E.I System/Space-saving installation on page 72.





# ILLUSION

DESIGN FABRIZIO CRISÀ




## TEHNIČNI PODATKI TECHNICAL FEATURES

Velikost Size	100 x 50 cm
Izvedba Version	Odzračevalna Duct-out
Videz Finish	Bela + Bela okvir, Pomalovatelne + okvir nerjavno jeklo White + white frame, paintable + stainless steel frame

### OSVETLITEV LIGHTING

Tipi Type	STRIPE LED 2 x 14 W
Intenzivna moč Intensity	563 LUX
Temperature Temperature	2700-5000 K



FALSE CEILING CUT: 480X980



Glej stran 157 za lastnosti zunanjega motorja  
Remote motor on page 157



Glej oddelek Dodatki za osvetlitev str.152  
See lighting accessories on page 152

## OBLIKA PERFORMANCE

	H16	H30
Upravljanje Controls	3 Hitrosti + 2B daljinski upravljalnik 3S+2B Remote Control	3 Hitrosti + 2B daljinski upravljalnik 3S+2B Remote Control
Pretok zraka Booster airflow	750 m <sup>3</sup> /h	770 m <sup>3</sup> /h
Raven hrupa Noise level	68 db(A)	53 db(A)
Popolna absorpcija Total absorption	198 W	188 W
Izhod Duct size	220x90 mm	150 mm
Razred energetske učinkovitosti Energy class	A (A++/E)	A (A++/E)
Z aluminijastim mazalnim filtrom Grease aluminium Filter included		

### DODATKI ACCESSORIES

Komplet za recikliranje Recycling kit H30	KIT0148449
Komplet za recikliranje Recycling kit H16	KIT0148450
Bel daljinski upravljalnik White remote control	KIT0121468
Črni daljinski upravljalnik Black remote control	KIT0121469
Notranji oddaljen motor Internal remote motor	KIT0147879
Zunanji stenski motor Wall external motor	KIT0147880
Zunanji krovni motor Roof external motor	KIT0147881
Zunanji motor za nagnjeno streho Inclined Roof external motor	KIT0147882
Zatemnilnik (dodatna oprema za osvetlitev) Dimmer (Lighting kit)	KIT0147878

### MODELI MODELS

ILLUSION H16 PAINT/A/100	PRF0147726
ILLUSION H16 WH/A/100	PRF0147727
ILLUSION H30 PAINT/A/100	PRF0146250
ILLUSION H30 WH/A/100	PRF0146251
ILLUSION NO MOTOR PAINT/A/100	PRF0146252
ILLUSION NO MOTOR WH/A/100	PRF0146253



Oprema za daljinski upravljalnik. Glejte stran 151 za razpoložljivi model.  
Kit remote control included. See page 151 for available design.



S.E.I System/Inštalacija, ki varčuje s prostorom na str.72.  
S.E.I System/Space-saving installation on page 72.



Belo nerjavno jeklo, ki ga lahko prebarvamo  
Paintable white steel





# EMPTY SKY

DESIGN FABRIZIO CRISÀ



## TEHNIČNI PODATKI TECHNICAL FEATURES


Velikost Size	120 x 70 cm
Izvedba Version	Odzračevalna/Obtočna izvedba Duct-out/Recycling
Videz Finish	Bel Cristalplant White cristalplant

### OSVETLITEV LIGHTING

Tipi Type	STRIPE LED 1 x 7 W
Intenzivna moč Intensity	81 LUX
Temperature Temperature	4000 K



**SENSOR TECHNOLOGY SYSTEM**  
SENSOR TECHNOLOGY SYSTEM



## OBLIKA PERFORMANCE

Upravljanje Controls	3 Hitrosti + B na dotik 3S+B Touch Control	(*) 3 Hitrosti + B na dotik 3S+B Touch Control
Pretok zraka Booster airflow	820 m³/h	555 m³/h
Raven hrupa Noise level	58 db(A)	60 db(A)
Popolna absorpcija Total absorption	317 W	267 W
Izhod Duct size	150 mm	---
Razred energetske učinkovitosti Energy class	A+ (A+/E)	---

Z aluminijastim mazalnim filtrom Grease aluminium Filter included  
**Filtro revolution incluso** \* Revolution filter included \*

## DODATKI ACCESSORIES

Revolucijski filter Revolution filter	CFC0141772
Filter s podaljšanim delovanjem Long life filter	CFC0141809
Bel daljinski upravljalnik White remote control	KIT0121468
Črni daljinski upravljalnik Black remote control	KIT0121469



Cristalplant® nealergičen, nestrupen material ki je odporen in prijeten na dotik. Zahvaljujoč abrazivnim lahko kakršno koli škodo na površju enostavno očistimo (prase, trdovratne madeže) hkrati pa ohranja prvotni videz skozi čas. Cristalplant®, a hypoallergenic non-toxic material, resistant and agreeable to the touch. Thanks to the abrasive pad, any kind of surface damage can be easily removed while maintaining its original appearance over time.



Oprema za daljinski upravljalnik. Glejte stran 151 za razpoložljivi model. Kit remote control included. See page 151 for available design.

## MODELI MODELS

EMPTY SKY WH/A/120	PRF0120972
EMPTY SKY WH/F/120 (*)	PRF0120973

Različica s filtriranjem  
Recycling version





# S.E.I. SYSTEM


Da bi omogočili praktično in varno namestitev stropnih nap, smo pri podjetju Elica razvili preprost sistem inštaliranja: Super Easy Installation (S.E.I.). S pomočjo S.E.I. stropno napo samo z nekaj preprostimi koraki varno namestite.

Installing the Ceiling range of models needs to be straightforward and safe. That is why Elica has introduced the new Super Easy Installation system. With this system, installation takes just a few, simple steps in complete safety, ensuring both the product's aesthetics and the integrity of the false ceiling.

- ✓ POENOSTAVLJEN DELOVNI PROCES
- ✓ PRIHRANEK ČASA PRI NAMESTITVI
- ✓ VGRADNJA BREZ POSEBNEGA ORODJA
- ✓ NAJVEČJA VARNOST PRI VSEH DELOVNIH KORAKIH

- ✓ SIMPLIFICATION OF OPERATIONS
- ✓ SAVE TIME WHEN INSTALLING
- ✓ INSTALLATION WITHOUT SPECIAL TOOLS
- ✓ COMPLETE SAFETY IN EVERY STEP


**1** DVIGNITE APARAT.  
BRING THE PRODUCT TO THE COMPARTMENT IN THE FALSE CEILING.




**2** APARAT POTISNITE V IZREZ V STROPU.  
PUSH THE PRODUCT INTO THE PRACTICAL OPENING.

APARAT DRŽIJO V SPUŠČENEM STROPU SPONKE. PORAVNAJTE APARAT.

THE BRACKETS HOLD THE PRODUCT IN THE FALSE CEILING.



**3** KO JE APARAT V ŽELEENEM POLOŽAJU, PRIVIJTE VIJAKE DO KONCA.  
TIGHTEN THE SCREWS TO DEFINITELY FIX THE PRODUCT.



Na voljo za modele Illusion, Skydome in Hilight.  
Available for models Illusion, Skydome e Hilight.

# INSTALLAZIONE SALVASPAZIO SAVE-SAVING INSTALLATION

Elica ponuja zdaj tudi aparate za nizke prostore. Poleg modelov v klasični izvedbi H30, smo razvili model H16 za vgradnjo v nižje stropove. Omogoča največjo uporabno višino prostora, ne da bi bilo pri tem potrebno zmanjšati učinkovitost aparata.

For rooms with limited height, you no longer need to forego the pleasure of selecting an Elica hood from the Ceiling range. In addition to the classic H30 version, models in the H16 version have been designed for use in lower false ceilings. They maintain the maximum useful height of the room without foregoing the performance of an aspiration hood.



PRIKLOP H30 - H30 INSTALLATION



PRIKLOP H16 - H16 INSTALLATION



Modeli H30 imajo izhod na vseh petih straneh ohišja motorja, tako da lahko izbirate na kateri strani želite priključiti odvod zraka.

In the H30 models, outlets can be run from any of the 5 sides of the engine box, allowing you to decide on which side to attach the air outlet duct.



Pri namestitvi izvedbe H16 je mogoče izbrati, ali je odvod zraka na desni ali levi strani.

For the H16 version, the direction of the air outlet pipe, whether to the right or left, can be decided during installation.

HIGHLIGHT	H30	/
ILLUSION	H30	H16
SKYDOME	H30	H16





Ekskluzivni zastopnik za Slovenijo:

**PMF d.o.o.**  
Letališka cesta 3c  
1000 Ljubljana

Tel: 01 513 51 64  
Fax: 01 513 52 08  
E-pošta: [elica@pmf.si](mailto:elica@pmf.si)  
[www.pmf.si](http://www.pmf.si)

